

## RACING MEMO

**ISSUED:** January 4, 2018

**NUMBER:** RM 18-01

**FROM:** Board of Directors

**TO:** All Participants

**SUBJECT:** Implementation Postponement

The Club Racing Board is postponing the implementation of some changes made in the January Fastrack. The postponement will permit competitors extra time to make the necessary changes to their vehicle to comply with the new rules.

### AS

Adjust Weight of 1979-1993 Mustang

Effective 1/2/18, in AS, change weights for Ford Mustang Including Cobra and Cobra R (79-93) as follows:

Under 313 CID, *3150*

Over 313 CID, *3450*

\*The original weight change will be re-considered with other possible weight changes in the near future.

### GTL

Postpone Implementation of 100lbs/24mm SIR Option

Effective 1/2/18, in GCR section 9.1.2.F.7.k.1, replace the language as follows:

~~"Allow all currently restricted 2V and 3V engines less than 1400ccs to run 1mm larger SIR as an option at a 100 lb weight penalty."~~

*"Allow currently restricted 2V and 3V engines <1400ccs to run unrestricted at a 100 lb weight penalty."*

Effective 3/1/18, in GCR section 9.1.2.F.7.k.1, replace the language as follows:

~~"Allow currently restricted 2V and 3V engines <1400ccs to run unrestricted at a 100 lb weight penalty."~~

*"Allow currently restricted 2V engines less than 1400ccs to run unrestricted at a 100 lbs. weight penalty. Allow currently restricted 3V and 4V engines less than 1400ccs to run 1mm larger SIR as an option at a 100 lbs. weight penalty."*

## STL

### Acura/Honda

Postpone restrictor implementation

In STL, Table A, Acura/Honda B18C (JDM Type R), B18C5 (USDM Type R), B18C6 (UK and Euro Type R), B18C7 (Australia Type R), add a restrictor to the notes as follows:

"Effective 03/01/2018, *53mm flat plate restrictor required.*"

In STL, Table B, Honda B16A (JDM), add a restrictor to the notes as follows:

"Effective 03/01/2018, *54mm flat plate restrictor required.*"

## Touring

### T2

Postpone implementation of restrictor

### Chevrolet Corvette C6 / Grand Sport (05-13)

Effective 01/02/2018, In T2, Chevrolet Corvette C6 / Grand Sport (05-13), change the notes as follows:

"LS2: ~~53mm~~ *57mm* flat plate restrictor is required."

Effective 03/01/2018, in T2, Chevrolet Corvette C6 / Grand Sport (05-13), change the notes as follows:

"LS2: ~~57mm~~ *53mm* flat plate restrictor is required."

### Chevrolet Corvette C-5 Incl. Fxd Cpe (98-04) Z06 (hardtop) (01-04)

Effective 01/02/2018, in T2, Chevrolet Corvette C-5 Incl. Fxd Cpe (98-04) Z06 (hardtop) (01-04), change the restrictor as follows:

3525 (w/~~50mm~~ *55mm* flat plate restrictor)

Effective 03/01/2018, in T2, Chevrolet Corvette C-5 Incl. Fxd Cpe (98-04) Z06 (hardtop) (01-04), change the restrictor as follows:

3525 (w/~~55mm~~ *50mm* flat plate restrictor)

## **Chevrolet Corvette C6 Coupe / Grand Sport (05-13)**

Effective 01/02/2018, in T2, Chevrolet Corvette C6 Coupe / Grand Sport (05-13), change the third and fourth to last sentence as follows:

"LS2: ~~53mm~~ **57mm** flat plate restrictor is required. LS3: ~~48mm~~ **51mm** flat plate restrictor is required and must be placed in the front of the factory throttle body manifold opening.

Effective 03/01/2018, In T2, Chevrolet Corvette C6 Coupe / Grand Sport (05-13), change the third and fourth to last sentence as follows:

"LS2: ~~57mm~~ **53mm** flat plate restrictor is required. LS3: ~~51mm~~ **48mm** flat plate restrictor is required and must be placed in the front of the factory throttle body manifold opening."

## **Ford Mustang GT 5.0L (11-14)**

Effective 01/02/2018, in T2, Ford Mustang GT 5.0L (11-14), change the notes as follows:

"~~52mm~~ **56mm** flat plate restrictor required."

Effective 03/01/2018, in T2, Ford Mustang GT 5.0L (11-14), change the notes as follows:

"~~56mm~~ **52mm** flat plate restrictor required."

## **Chevrolet Corvette Z06 (06-12)**

Effective 01/02/2018, in T2, Chevrolet Corvette Z06 (06-12), change the notes as follows:

"LS2: ~~52mm~~ **56mm** flat plate restrictor is required."

Effective 03/02/2018, in T2, Chevrolet Corvette Z06 (06-12), change the notes as follows:

"LS2: ~~56mm~~ **52mm** flat plate restrictor is required."

## **Porsche Carrera S (06-08)**

Effective 01/02/2018, in T2, Porsche Carrera S (06-08), change the notes as follows:

"~~60mm~~ **65mm** flat plate restrictor required."

Effective 03/01/2018, in T2, Porsche Carrera S (06-08), change the notes as follows:

"~~65mm~~ **60mm** flat plate restrictor required."

## **Mustang GT 5.0L (2015-)**

Effective 01/02/2018, in T2, Ford Mustang GT 5.0L (2015-), change the notes as follows:

"~~48mm~~ **53mm** flat plate restrictor required."

Effective 03/01/2018, in T2, Ford Mustang GT 5.0L (2015-), change the notes as follows:

"~~53mm~~ **48mm** flat plate restrictor required."

## **Chevrolet Camaro, 1LE (2016-)**

Effective 01/02/2018, in T2, Chevrolet Camaro, 1LE (2016-), change the notes as follows:  
"~~53mm~~ **60mm** flat plate restrictor required."

Effective 03/01/2018, in T2, Chevrolet Camaro, 1LE (2016-), change the notes as follows:  
"~~60mm~~ **53mm** flat plate restrictor required."

## **T3**

Postpone the following adjustments

## **Nissan 350Z Track/ Touring/ Standard/ Nismo (03-08)**

Effective 01/02/2018, in T3, Nissan 350Z Track/ Touring/ Standard/ Nismo (03-08), change the notes as follows:

HR Engine: Two ~~37mm~~ **40mm** flat plate restrictors required.

Effective 03-01-2018, in T3, Nissan 350Z Track/ Touring/ Standard/ Nismo (03-08), change the notes as follows:

"HR Engine: Two ~~40mm~~ **37mm** flat plate restrictors required. *DE Engine: 57mm flat plate restrictor required.*"

## **Nissan 350Z Track/ Touring/ Standard/ Nismo (03-08) Spec Z**

Effective 01/02/2018, in T3, Nissan 350Z Track/ Touring/ Standard/ Nismo (03-08) Spec Z, change the notes as follows:

HR Engine:

Two ~~37mm~~ **40mm** flat plate restrictors required.

Effective 03/01/2018, in T3, Nissan 350Z Track/ Touring/ Standard/ Nismo (03-08) Spec Z, change the notes as follows:

HR Engine: Two ~~40mm~~ **37mm** flat plate restrictors required. *DE Engine: 57mm flat plate restrictor required.*"

## **Nissan 370Z (09-16) /370Z NISMO Edition (09-13)**

Effective 01/02/2018, in T3, Nissan 370Z (09-16) /370Z NISMO Edition (09-13), change the notes as follows:

"~~2~~ Two ~~37mm~~ **40mm** flat plate restrictors required."

Effective 03/01/2018, in T3, Nissan 370Z (09-16) /370Z NISMO Edition (09-13), change the notes as follows:

"~~2~~ Two ~~40mm~~ **37mm** flat plate restrictors required."

## Infiniti G35 /Sport (03-08)

Effective 01/02/2018, in T3, Infiniti G35 /Sport (03-08), change the notes as follows:

Two ~~37mm~~ *40mm* flat plate restrictors required. ~~DE Engine: Single 57mm flat plate restrictor required.~~

Effective 03/01/2018, in T3, Infiniti G35 /Sport (03-08), change the notes as follows:

"Two ~~40mm~~ *37mm* flat plate restrictors required. *DE Engine: Single 57mm flat plate restrictor required.*"